



revigres®

BIM LIBRARY MANUAL - RETRO

June 2026
Version 01

StratBIM®

TABLE OF CONTENTS

DOCUMENT VERSIONS	3
BIM LIBRARY MANUAL	4
01. Introduction	4
02. Library Description.....	4
03. Compatible Versions.....	4
04. Objects Characteristics	4
05. Inserting the material library	4
06. Insertion of Families	6
07. Properties of objects.....	7
08. Quantification of materials.....	8
09. Final Considerations.....	8

DOCUMENT VERSIONS

V.00	10/10/2021	First published version.
V.01	12/06/2026	New sizes added; Information related to the product data has been included, namely: <ul style="list-style-type: none">• General data• Manufacturer data• Performance data• Specification data• Geometric data• Sustainability data

BIM LIBRARY MANUAL

01. Introduction

This BIM Library Manual aims to support the installation and use of BIM Objects related to products developed and marketed by **REVIGRÉS**, seeking to help AEC Industry - Architecture, Engineering and Construction technicians in their decision process.

02. Library Description

The presented library was developed for AUTODESK®2023 version or newer and refers to RETRO collection marketed by REVIGRÉS.

Included in this library are all the typologies of the mentioned collection in the colors, finishes and commercialised formats, namely:

- **BASE.**

03. Compatible Versions

The library is compatible with the AUTODESK REVIT®2023 version or newer.


04. Objects Characteristics

The objects are created in the respective categories, so that they can be used according to their actual application. This way, all objects relating to wall coverings are created in the *Wall* category - *system families*.


The objects are shown identified with nominal measures but are represented with their actual measurements (caliber 06), adding 2mm to this measurement for accounting of the joint.

05. Inserting the material library


The created objects have associated materials, which, for the purpose of representation, have images that give it its characteristics with respect to colour, shape and finish. In order to the program map it correctly, all images must be unzipped from the file **REVIGRES-RETRO-Material-Images.zip**. The user will then need to include the path to that folder in the list of paths to map material textures. To do this, go to **FILE / OPTIONS**:




Then, in the **RENDERING** section, add the path to the list of additional paths:



This way, we ensure that all the necessary images of the materials and objects are properly mapped for during the rendering process. This process will also facilitate the use of the REVIGRÉS RETRO series material library, which can be loaded using the **Revigres-RETRO.adsklib** file. To do this, open the material manager in the **MANAGE** tab:




Click the **MATERIALS** icon (on the lower left side corner of the menu) and choose the option **Open Existing Library**:




06. Insertion of Families

In the case of objects belonging to *System families*, namely those relating to wall and floor coverings, they must be loaded from one project file (RVT) to another. Thus, to transfer the elements of Floor category, you must open the REVIGRES file with the desired RETRO typology, as well as the project file that you want to transfer the REVIGRES objects, and go to **MANAGE / TRANSFER PROJECT STANDARDS**:



You must then activate the object type that you want to transfer. In the case of floors, the **Floor Types** option must be chosen:



This method applies to the transfer of elements of the typology **BASE**.

07. Properties of objects

The objects have been developed in-depth and extensively. Thus, all objects have information concerning the manufacturer with respect to applicable international standards.

All objects also have the manufacturer's reference, except the products produced on order, so that it can be easily referenced, as well as other relevant information:

General	
BIM Modeler URL	www.stratbim.com
CE marking	YES
Manufacturer URL	www.revigres.pt
Publication date	03/2019
Reference	312B137S31
Region Africa	ALL
Region Antarctica	ALL
Region Asia	ALL
Region Europe	ALL
Region Middle East	ALL
Region North America	ALL
Region Oceania	ALL
Region South America	ALL
Version	V00

The objects are also classified according to the international classification systems most commonly used in the AEC industry.

IFC Parameters	
CSI Masterformat 2014 Code	09 30 13
CSI Masterformat 2014 Title	Ceramic Tiling
CSI Unifomat II Code	C3010
CSI Unifomat II Title	Wall Finishes
IfcExportAs	IfcCorevingType
IfcExportType	CLADDING
NBS Reference Code	80-96-19
NBS Reference Description	Ceramic tiles
Uniclass 1.4 Code	L533
Uniclass 1.4 Description	Tiles and blocks (rigid)
Uniclass 2.0 Code	PR-80-96-19
Uniclass 2.0 Description	Ceramic tiles
Uniclass 2015 Code	Pr_35_93_96_19
Uniclass 2015 Description	Ceramic tiles
UNSPSC Code	30131704
UNSPSC Description	Ceramic tiles or flagstones
Analysis Results	

They also have environmental performance data, in accordance with the Environmental Product Declarations.

Green Building Properties	
EnergiaElectricaExportada	1.550000
UnidadeEPD	1 m ²
ComponentesParaReutilizacaoComponentesParaReutilizacao	
PotencialPrivacaoDeAguaConsumoDeAguaPonderado	4.500000
VolumeTotalDeResiduosRadioactivosEliminados	
ResiduosPerigososEliminados	0.002210
UtilizacaoLiquidaDeAguaDoce	0.113000
PotencialDeEutrofizacaoFracaoDeNutrientesQueAtingemOCompartimentoFinalDeAguaDoce	0.000189
EnergiaRecuperada	0.007390
MateriaisParaRecuperacaoDeEnergia	0.007390
ComponentesParaReutilizacao	
EnergiaTermicaExportada	0.000000
ConsumoDeAguaDoce	0.113000
ItemENovo	Sim

08. Quantification of materials

All the files related to the various typologies of the RETRO collection have pre-configured tables with the parameters related to the coating, its respective manufacturer's reference, parameters related to the applicable standards, as well as quantification parameters of the applied coating and the number of pieces applicable. The number of pieces is calculated by dividing the area of coating by the area of a piece, so that, depending on the geometry of the area to be coated, an increase of about 10% should be considered for breaks and cuts.

09. Final Considerations

Future revisions to the current version of the library will be made available on the REVIGRÉS website. Any question regarding them should be reported by email to bimsupport@revigres.pt



Founded in 1977, Revigrés is a world reference in ceramics, specialized in the production of wall and floor tiles.

Revigrés headquarters is located in Barrô (Águeda) and its commercial building – opened in 1997 -, is a project by Architect Álvaro Siza Vieira, the first winner of the Pritzker Prize in Portugal. In addition to the showroom at headquarters, Revigrés also has a showroom in Lisbon (Saldanha).

It is present in more than 50 countries and maintains a close relationship and collaboration with professionals in the national and international market, being frequently selected to be associated with works of great impact, to carry out special, personalized and exclusive projects.

Revigrés is the only Portuguese company in the subsector of ceramic wall and floor tiles with a four-time certification of its integrated management systems (SGI), in the following references: Quality; Environment; Social Accountability; Research; Development and Innovation.

Developed by



info@stratbim.com



www.stratbim.com