

revigres

Company Profile



revigres

Revigrés is a 100% Portuguese company that specialises in the production of ceramic tile solutions; it has been tiling the world with stories, inspiration and art for over almost 50 years.

+ 50 YEARS

+ 4 MILLIONS m²

+ 280.000 m² TOTAL AREA

+ 350 EMPLOYEES

(installed production capacity)

+ 140.000 m² COVERED AREA





Revigrés has a showroom at the head-office (Barrô - Águeda) and in Lisbon, managed by a dedicated team offering an expert service.

HEADQUARTER · ÁGUEDA SHOWROOM

Vale do Grou. Apartado 1
3754-001 BARRÔ (AGD) - PORTUGAL
Tel. +351 234 660 100

DELEGATION · SHOWROOM LISBON

Pr. José Fontana, 26 A-C
1050-129 LISBOA - PORTUGAL
Tel. +351 213 170 280

revigres@revigres.pt
www.revigres.com



CHRONOLOGY





MISSION AND VALUES

Help to create unique and inspiring environments through the production of technically advanced ceramic design solutions, with a Portuguese soul founded on the following values:

EXCLUSIVITY

Exclusive and customised design ceramic solutions.

DESIGN AND CREATIVITY

Different and aspirational products.

INNOVATION

Technological solutions and products that add value.


THE PORTUGUESE WAY

The know-how of a country with a strong tradition in ceramics.



VISION

To be a leading company in ceramic wall and floor coverings, internationally recognized for excellence and sustainability.



STRATEGY

Profitable growth
Innovation and Product Quality
Operational Efficiency

REVIGRÉS AWARDED WITH DESIGN AND INNOVATION AWARDS



GERMAN
DESIGN
AWARD
SPECIAL
2017



A' DESIGN AWARD
WINNER 2014
G O L D



AWARDED BY THE CHICAGO
ATHENAEUM: MUSEUM OF
ARCHITECTURE AND DESIGN



DESIGN
AWARD
2016



reddot design award
winner 2015

revigres

The Revigrés commercial building – inaugurated in 1997 - was designed by the architect Álvaro Siza, the first winner of a Pritzker Prize in Portugal.



revigres

STATE OF THE ART TECHNOLOGY



STATE OF THE ART TECHNOLOGY

Spread across 280,000 m² of industrial facilities and with a production capacity exceeding 4 million m² annually, Revigrés combines advanced technology, innovation, and sustainability to deliver high-quality solutions.

Energy-efficient processes and responsible practices are integrated throughout the value chain, from concept development to final production, ensuring operational excellence and a reduced environmental footprint.



GLOBAL QUALITY

Revigrés has a five-time certification of its integrated management systems, in the following references:

QUALITY;
ENVIRONMENT;
SOCIAL ACCOUNTABILITY;
ENERGY;
RESEARCH, DEVELOPMENT AND INNOVATION.



QUALIFIED KNOW HOW

Revigrés stands out for the modernity and distinction of its solutions, supported by a cohesive team focused on excellence and creating value in a sustainable way.



SERVICE QUALITY
CUSTOMIZED ADVICE

PARTNER IN EMBLEMATIC WORKS
CUSTOMIZED PROJECTS
PRODUCTION FLEXIBILITY

REVIGRÉS WORLDWIDE

+ 50

COUNTRIES
ACROSS 5 CONTINENTS

+ 1250

CUSTOMERS

50%

OF TURNOVER
FROM EXPORTS

+ 600

RETAIL LOCATIONS
LANDMARK PROJECTS




DESIGN, INNOVATION AND EXCLUSIVITY

The excellent technical properties of porcelain tiles – water absorption close to zero, high resistance to stains and chemicals, and wear resistance, high mechanical strength, fire-resistance, easy to clean and maintain – were instrumental in choosing the Chromatic Collection - one of the most complete full-body, world class collection - for big projects, such the Sagrada Familia Basilica in Barcelona, for which Revigrés has developed customised colours.

BASILICA LA SAGRADA FAMILIA - BARCELONA, SPAIN





BASILICA LA SAGRADA FAMILIA - BARCELONA, SPAIN

“Revigrés was identified from the start as a reliable partner in such a prestigious project like Harrods in London.”

Alan Collie - Commercial Director, Domus

HARRODS GALLERY – LONGON, ENGLAND



“In this project we chose Revigrés porcelain tiles for the floors. On the one hand, due to their high mechanical strength, suitable for high traffic areas and, on the other hand, the aesthetic effect. We fully trust our partner.”

Jan Eimar Dalva, Modena Tiles

BAKER HUGHES HEADQUARTERS
LONDON AND NORWAY



“Revigrés, who has been our partner since 2006, makes many proposals to the designer, resulting in an endless number of solutions that make each project unique.

At the SPAs, swimming pools and service areas, we use anti slip ceramic floor tiles to assure our guests and workers safety.”

Luís António, architect - Vila Galé Hotels





MODERN ART CENTRE AT THE CALOUSTE GULBENKIAN
FOUNDATION IN LISBON, PORTUGAL



EXPO OSAKA 2025. PORTUGAL PAVILLON - JAPAN
ARCHITECT KENGO KUMA



LISBON RACKET CENTER – ALVALADE, PORTUGAL




DRAGON STADIUM
PORTO, PORTUGAL




ALVALADE STADIUM
LISBON, PORTUGAL

D. AFONSO HENRIQUES STADIUM
GUIMARÃES, PORTUGAL





DIJON HOTEL - FRANCE



RECREIO DE MIRAFLORES - PORTUGAL



LEGACY HOTEL, PORTO SANTO





ALMALUSA (COMPORTA) - PORTUGAL



FAROL DESIGN HOTEL – PORTUGAL



MERCEDES BENZ STORE. AMENSTERDAN



BENTLEY AND ROLLS ROYCE STANDS - USA



COMPUTER STORES - USA AND CANADA

FNAC STORES. FRANCE AND PORTUGAL



JO MALONE STORES
(ESTÉE LAUDER GROUP) –
PORTUGAL AND USA



MARINA SHOPPING CENTER – CASABLANCA,
MOROCCO




STEIRERECK RESTAURANT: TWO MICHELIN STARS
VIENNA, AUSTRIA



MONUMENTAL OFFICE BUILDING - PORTUGAL

NORTE SHOPPING CENTER - PORTO, PORTUGAL



ALEGRO SETÚBAL SHOPPING – PORTUGAL



VASCO DA GAMA SHOPPING – LISBOA, PORTUGAL



MCDONALD'S RESTAURANT




“PLAZA ELIPTICA” METRO STATION
MADRID, SPAIN

VNUKOV AIRPORT
MOSCOW, RUSSIA





PANORAMIC EXPO - LISBON, PORTUGAL



DIVILUX HEADQUARTERS - PORTUGAL

revigres

REVIGRÉS PRODUCTS

44

COLLECTIONS

1268

ARTICLES

12

COLOURS

25

BASIC SIZES

8

SURFACE FINISHES



revigres

CERAMICS A RESPONSIBLE CHOICE

HIGH RESISTANCE TO
USE

SAFE FOR HEALTH


RESISTANCE TO FIRE

EASY CLEANING

CERAMIC – A RESPONSIBLE CHOICE



PRACTICALLY NO WATER ABSORPTION



HIGH RESISTANCE TO USE / ABRASION



HIGH RESISTANCE TO STAINING
AND CHEMICALS



RESISTANCE TO THERMAL VARIATIONS



RESISTANCE TO FROST




ECO-SUSTAINABLE: IT DOES NOT RELEASE
TOXIC SUBSTANCES (Radon, VOC)




SAFE FOR HEALTH




RESISTANCE TO FIRE



GOOD ELECTRICAL INSULATION



EASY CLEANING AND MAINTENANCE



VERSATILE: EFFECTS, COLORS, FORMATS, FINISHES
AND TYPES OF USE

revigres

INTENDED USES

BATHROOM



KITCHEN



FACADE



OUTDOOR



CONTRACT



revigres

WE REPRODUCE NATURAL SURFACES

METAL EFFECT



MARBLE EFFECT



STONE EFFECT



WOOD EFFECT



revigres

WE CREATE ORIGINAL CERAMIC SURFACES

COLOUR



FULL-BODY



3D




CONCRETE



NATURAL LOOK

Ceramic wall and floor tile collections with a very natural and realistic design reproduce the visual and material sensation of stones, marbles and fine woods and reinterpret them with a contemporary eye.

Thanks to state-of-the-art 3D digital printing technology, graphics and textures of the ceramic materials blend in harmony much to the delight of both senses.



TECH 3D

revigres

PRODUCT
RANGES

WHITE BODY TILES



PORCELAIN TILES



LIGHT XL
120x278x0.6cm














TECH 20mm

SIZES

PORCELAIN
TITLES

WHITE BODY
TITLES





FULL-BODY PORCELAIN

Uniform technical and aesthetic characteristics throughout, ensuring high resistance. They maintain their technical and aesthetic characteristics throughout the entire tile (full body).

A COMPLETE SOLUTION

Wall and floor tile solutions for indoor and outdoor environments, either residential or public. Particularly suitable for high-traffic areas.

ACCURACY

Raw materials selected according to the most stringent quality criteria.

DESIGN

The aesthetic effects are reproduced throughout the entire tile, with no paint or glaze.

TECHNICAL QUALITY

Ceramic solutions with high resistance and durability.

revigres

Collection

CROMÁTICA

revigres

revigres

30 COLOURS

Collection CROMÁTICA



POL



MATT RECT
SOFT



MATT RECT
A



MATT RECT
R10



14mm
MATT RECT
R9



MATT RECT
CLASS 2
PTV 36+



14mm
MATT RECT
CLASS 1



MATT RECT
DCOF
≥ 0,42



ICE



SUPERBRANCO



ALLOY




TITANIUM



GRAFITE



PLATINA



ARG PRATA



ANTRACITE



PRETO



JET



BONE



QUARTZ



LAVA



ASTRAL



BEGE



TOFFEE



OCRE



CORAL



BRICK



TERRACOTTA




ANIS



JADE



LAGOON



TEAL



PISTACHIO




OLIVA



PALM



OPALA



COBALTO



INDIGO

revigres



CROMÁTICA COLLECTION



revigres




CROMÁTICA COLLECTION



ADVANTAGES




EASY AND QUICK TO APPLY



HIGH DURABILITY



RESISTANCE TO FIRE



EASY MAINTAIN - NEUTRAL,
CHEMICAL-FREE AGENTS AND
LITTLE WATER




RAISED FLOOR: EASY ACCESS TO
CONCEALED SYSTEMS



ECO-EFFICIENT: REMOVABLE, REUSABLE
AND VERSATILE (COMPATIBLE WITH DIFFERENT
SYSTEMS)




RESISTANT TO WEAR AND IMPACT
IDEAL FOR GARDENS, PARKS, TERRACES AND
PRIVATE OR HEAVY-DUTY PUBLIC SPACES



DRY LAYING ON GRAVEL, GRASS AND UNEVEN SURFACES





TOLERANCE TO WIDE TEMPERATURE RANGE (-40° TO
+ 70° C)



RESISTANCE TO STAINING, CHEMICALS AND TO UV
RADIATION


SIZES



(47"x47")
118,6x118,6 cm
± 2,00 cm



(23"x47")
59,2x118,6 cm
± 2,00 cm



(35"x35")
88,9x88,9 cm
± 2,00 cm



(23"x23")
59,2x59,2 cm
± 2,00 cm



URBAN OFFWITE (d)
ANTISLIP RECT



URBAN BONE (d)
ANTISLIP RECT



URBAN CRAFT (d)
ANTISLIP RECT



URBAN FOG (d)
ANTISLIP RECT



URBAN GRIS (d)
ANTISLIP RECT



LAVASTONE BONE (b, d)
ANTISLIP RECT



LAVASTONE BEGE (b, d)
ANTISLIP RECT



LAVASTONE CRAFT (b, d)
ANTISLIP RECT



LAVASTONE PLATINA (b, d)
ANTISLIP RECT



LAVASTONE FOG (b, d)
ANTISLIP RECT



BLEND DESERT (a, b, c)
ANTISLIP RECT



BLEND FOG (a, b, c)
ANTISLIP RECT




LIMESTONE MIST (a, b, c, d)
ANTISLIP RECT




LIMESTONE SAND (a, b, c, d)
ANTISLIP RECT

revigres

TECH 20 mm



ANTISLIP RECT




			BLEND	LAVASTONE	LIMESTONE	URBAN
A	118,6 x 118,6 x 2,0 cm	●		●		
B	59,2 x 118,6 x 2,0 cm	●	●	●		
C	88,9 x 88,9 x 2,0 cm	●		●		
D	59,2 x 59,2 x 2,0 cm		●	●	●	




revigres

TECH 20 mm




OVERFLOW GRILLE

14,5x59,2x2 cm




OVERFLOW CORNER GRILLE

2 PIECES
14,5x59,2x2 cm




DG CF SS

29,4x59,2x2 cm




DG CF CANTO SS

29,4x59,2x2 cm




BULLNOSE INNER CORNER SS

2 PIECES
29,4x59,2x2 cm



BULLNOSE OUTER CORNER SS

2 PIECES
29,4x59,2x2 cm




DG BOLEADO SS


29,4x59,2x2 cm




ADVANTAGES




REDUCED THICKNESS (6mm)




SUITABLE FOR RENOVATION
WITHOUT THE HASSLE OF DEMOLITION




HIGH DURABILITY




IDEAL FOR WALL, RESIDENTIAL
AND COMMERCIAL



MORE SEAMLESS FINISH




RESISTANCE TO STAINING,
AND EASY TO MAINTAIN



PREMIUM ARCHITECTURAL LOOK

SIZES

LIGHT XL



BLEND OFFWITE
MATT RECT



BLEND FOG
MATT RECT



BLEND DESERT
MATT RECT



BLEND MINT
MATT RECT



RULE ALLOY
RECT



RULE SMOG
RECT



LIMESTONE MIST
RECT



LIMESTONE SAND
RECT



TRAVERTINO CLASSIC
OFFWHITE RECT



TRAVERTINO CLASSIC
SAND RECT



TUSCANY CLASSIC
IVORY MATT RECT



TUSCANY CLASSIC
SAND MATT RECT



STATUARIO WHITE
RECT



STATUARIO WHITE
POL



SILVER ROOTS
MATT RECT



SILVER ROOTS
POL




CALACATTA CLASSIC
RECT



CALACATTA CLASSIC
POL



GRIGIO DAMASCO
MATT RECT



GRIGIO DAMASCO
POL

revigres

「LIGHT XL」

TUSCANY CLASSIC COLLECTION

UPEC CLASSIFICATION



French Standard NF EN 14411 (Centre Scientifique et technique du Bâtiment - CSTB, France):

- U (Usure) : RESISTANCE TO ABRASIO
- P (Poinçonnement) : MECHANICAL RESISTANCE
- E (Eau) : BEHAVIOUR IN WATER PRESENCE
- C (Chimie) : CHEMICAL PRODUCTS RESISTANCE

Certificat Certificate

Référentiel de certification / Certification reference system
QB - Carreaux céramiques pour revêtements de sol (QB32) / Ceramic tiles for flooring
N° 225-21.0/24

Le CSTB accorde le droit d'usage de la marque QB à la société :
CSTB grants the right to use the QB Mark to the company:

Nom du titulaire <i>Holder name</i> Site <i>Site</i>	REVIGRES INDUSTRIA DE REVESTIMENTOS DE GRES, LDA Vale do Grou - Barrô APARTADO 1 3750-351 BARRO AGUEDA Portugal 225 Vale do Grou - Barrô APARTADO 1 3750-351 BARRO AGUEDA Portugal
--	--

Pour les produits listés ci-après, certifiés conformes aux exigences du référentiel de certification en vigueur, par le CSTB.
For the products listed below, certified conform to the applicable certification reference system requirements by CSTB.

La validité de ce certificat et la liste des produits certifiés sont vérifiables sur le site Internet ou en flashant le QR-code ci-contre :

The validity of this certificate and the certified products list can both be checked on the website or by flashing the QR-Code:

<https://database.cstb.fr>

Décision de Certification / Certification decision N° **225-21.0/24** du **23/07/2025**
 Cette décision se substitue à la décision / This decision replaces the decision N° **225-20.2/23**
 Décision d'admission initiale / Admission decision du **15/05/2003**
 Ce certificat est valide jusqu'à / This certificate is valid until: **23/10/2026**

Fait à : **Marne-la-Vallée, France**
 Done at

Date de décision : **23/07/2025**
 Decision date

Président du CSTB
Etienne CREPON

ACCREDITATION N° 5-0010
 LMI of labs and firms
 available for
 URM and other
 et autres
 disponibles sur
www.cofrac.fr
CERTIFICATION DE PRODUITS ET SERVICES

En vertu de la présente décision, le CSTB accorde le droit d'usage de la Marque QB à la société qui en est titulaire pour les produits visés par ce certificat, dans les conditions définies par les exigences générales de la Marque QB et par les référentiels de certification QB, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

On the strength of the present decision, CSTB grants the right to use the QB Mark to the licence holder for the products mentioned in this certificate, within the frame of the general requirements of the QB Mark and of the QB certification reference system, as far as the regular checking and third party verifications of the production are satisfactory.

Page 1 / 35

CENTRE SCIENTIFIQUE ET TECHNIQUE DU BATIMENT - ORGANISME CERTIFICATEUR
 84 avenue Jean Jaurès - Champs-sur-Marne - 77447 Marne-la-Vallée Cedex 2
 Tél. (33) 01 64 68 82 82 - Fax (33) 01 64 68 89 94 - www.cstb.fr
 MARNE-LA-VALLÉE / PARIS / GRENOBLE / NANTES / SOPHIA-ANTIPOLIS

CSTB
le futur en construction

SASO CLASSIFICATION



SASO certification is a mandatory requirement that guarantees compliance with stringent technical and safety standards and is required for placing a product on the Saudi Arabian market. These standards are overseen by the Saudi Standards, Metrology and Quality Organization (SASO).



المواصفات السعودية
Saudi Standards

الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

شهادة ترخيص باستعمال علامة الجودة
License For Use of The Quality Mark

رقم الترخيص: 20250804171

License Number: 20250804171

SASO certifies that it has granted the right to use (SASO) quality mark on the following products, after fulfilling the required requirements according to the related normative references:

تشهد الهيئة السعودية للمواصفات والمقاييس والجودة بأنها رخصت باستخدام علامة الجودة على المنتجات الموضحة أدناه بعد استيفائها للعمليات اللازمة وفق المراجع القياسية الخاصة بها:

The Establishment:	Rêvigres- Indústria de Revestimentos de Grês, LDA	المنشأة:
The Establishment's Address:	ESTRADA NACIONAL no.1, VALE DO GROU 3750-351 BARRO (AGUEDA) - PORTUGAL	عنوان المنشأة:
Production Line Location:	ESTRADA NACIONAL no.1, VALE DO GROU 3750-351 BARRO (AGUEDA) - PORTUGAL	موقع خط الإنتاج:
Normative References:	SASO-GSO-ISO-13006/2022	المراجع القياسية:
The Trade Mark:	REVIGRES	العلامة التجارية:
The Product:	بلاط السيراميك	المنتج: (تأمين المنتج في الملحق)
Date of Granting:	2025/12/23	تاريخ المنح:
Date of Renewal:	-	تاريخ التجديد:
Date of Expiry:	2028/12/23	تاريخ الانتهاء:

الهيئة العامة للمواصفات والمقاييس
Saudi Standards, Metrology and Quality Org.

شهادة

مدير عام الإدارة العامة لمنح الشهادات
Director General of Certification Department



المهندس / خالد بن محمد النملة
Eng. Khalid M. Alnamlah

Product
NP-000004

Product Certification
ISO/IEC 17025:2017
APC 0044

1 / 2

المملكة العربية السعودية
Kingdom of Saudi Arabia

ص ب 3437 الرياض 11471
P.O.Box 3437 Riyadh 11471


T 920009085
F +966114520086

QMS-F-12-09 V6.00
13/08/2024

www.saso.gov.sa
info@saso.gov.sa

54

CONTRIBUTION TO INDOOR AIR QUALITY



Ceramic does not release any toxic substances, such as VOCs, even when subjected to high temperatures, promoting a healthier and safer indoor environment.

DECLARATION OF EXEMPTION FROM REACH REGISTRATION

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the registration, evaluation, authorisation and restriction of chemicals (REACH) establishes responsibilities for the various sectors involved in the supply chain for chemical substances, including manufacturers, importers, users, distributors/retailers and only representatives. These responsibilities include: (described in various articles of this Regulation, specifically Article 7, Article 33 and Annex XVII)

- Registration and notification of substances in articles;
- Duty to communicate information on substances in articles;
- Restrictions on the manufacture, placing on the market and use of certain hazardous substances, preparations and articles.

We announce that Revigres products:

- Contain no intentionally released substances;
- Contain no substances of very high concern, whose concentration exceeds 0.1% w/w.

Therefore we attest that **Revigres products do not contain substances subject to coding, and are exempt from REACH registration.**

Quality Department


Rui Vasco

REVIGRES - Indústria de Revestimentos de Grés, Lda

Apartado 1 • 3754-001 BARRÔ (Águeda) • Portugal

Tel. +351 234 660 100

Fax +351 234 666 555

www.revlgres.com

revigres@revlgres.pt



05

Ref. standard EN 14411: 2012 Ceramic floor and wall tiles: definitions, classification, characteristics and marking

Product type Dry pressed: group Bla UGL
Full body porcelain tiles | full body | edge rectified | matt surface

Collection CROMÁTICA MATT RET

Formats ³⁾ (30x30) 29.5x29.5x0.85 | (30x60) 29.5x59.2x0.85 | (60x60) 59.2x59.2x0.85
(60x120) 59.2x118.6x0.98 | (90x90) 88.9x88.9x1.05 cm

Colors ³⁾ Ice, superbranco, alloy, titanium, grafite, platina, arg prata, bone, quartz, lava, bege, toffee, ocre, coral, brick, aniz, jade, lagoon, pistachio, oliva, opala, cobalto



FULL BODY

TEST METHODS		STANDARD METHOD	STANDARD VALUE	TYPICAL VALUE
Length and Width ¹⁾		ISO 10545-2	± 0.6% max 2.0 mm	± 0.1% max ± 1.0 mm
Thickness ¹⁾			± 5% max ± 0.5 mm	± 5% max ± 0.5 mm
Straightness of the edges ²⁾			± 0.5% max ± 2.0 mm	± 0.2% max ± 0.8 mm
Orthogonality ²⁾			± 0.5% max ± 2.0 mm	± 0.2% max ± 1.5 mm
Surface flatness ²⁾			± 0.5% max ± 2.0 mm	± 0.3% max. ± 1.8 mm
Surface quality (% defect free)			≥ 95%	Compliant
Water absorption		ISO 10545-3	< 0.5%	< 0.05%
Bending strength	8.5 mm	ISO 10545-4	≥ 1300 N	> 2000 N
	9.0 9.8 10.5 mm			> 3500 N
Rupture modulus		ISO 10545-4	> 35 N/mm ²	> 45 N/mm ²
Resistance to deep abrasion		ISO 10545-6	< 175 mm ³	< 120 mm ³
Coefficient of linear thermal expansion (with atmospheric temperature up to 100 °C)		ISO 10545-8	As indicated by producer	≤ 8,0x10-6 °C-1
Resistance to thermal shock		ISO 10545-9	Required	Resist
Resistant to frost		ISO 10545-12	Required	Resist

ENVIRONMENTAL PRODUCT DECLARATIONS (EPDs)

The Revigrés porcelain wall and floor tile collections are certified by Environmental Product Declarations (EPDs) Type III, pursuant to standards ISO 14025 and EN 15804, compatible with BREEAM and LEED Sustainable Construction Certification Systems.



ENVIRONMENTAL PRODUCT DECLARATIONS



FDES (Fiche de Déclaration Environnementale Et Sanitaire) is a voluntary french certification that provides the environmental performance and health-related information of a construction product.

ALIGNED WITH THE UNITED NATIONS SUSTAINABLE DEVELOPMENT GOALS



Addressing major environmental concerns:

- Reducing energy consumption;
- Reducing CO2 emissions;
- Scarcity of raw materials and water.

OUR TITLES ARE GREEN


Being able to reduce our environmental footprint is a global concern that Revigrés incorporates into a structured Environmental Policy, backed by investment in innovation and the adoption of eco-efficient behaviour.

ENVIRONMENTAL POLICY



Clean energy: 7,328 photovoltaic panels, which contribute to 20% of the total electricity consumed.

1,826 Tonnes per year CO2 Emissions Reduction



100% Industrial wastewater treatment and reuse

Up to 99% OF RECYCLED MATERIALS INCORPORATED ACCORDING TO COLLECTION, COLOUR AND FORMAT



98% of process waste is recovered and incorporated directly into production and other manufacturing processes.

revigres

BIM OBJECT LIBRARY



2/42 brands 

archello
archiproducts®
bimobject®

materiaux
.archi



IFC


Revigrés was the first Portuguese wall and floor tile company to invest in the BIM Methodology aiming at the Construction sector's sustainability and efficiency.

Presence on BIM Object: Top 3 internationally for downloads, among 42 brands in the ceramic floor and wall covering sector.

90% of the project portfolio is listed on BIM Object.

Compatible with Autodesk Revit architecture software.
Technical support: bimsupport@revigres.pt.

DOWNLOAD OUR CATALOGUES AT [REVIGRES.COM](https://www.revigres.com)



Revigrés turns to digital platform interactivity and immediacy to keep in touch with its Customers.


Follow us on **www.revigres.com**, by signing up to our newsletter on our website, and on the social networks.

ONLINE TOOLS



3D SYSTEM

- Selection of Revigrés products;
- Visualization of the space in 3 dimensions, from different perspectives;
- List of quantities required for each product.



REVIGRÉS AR DESIGN

- RA environment simulator;
- Standard spaces available;
- Different product combinations in real time.

revigres

THANKS.

ÁGUEDA SHOWROOM
Tel. +351 234 660 100

LISBOA SHOWROOM
Tel. +351 213 170 280

www.revigres.com

revigres@revigres.pt